

	4 W													SHO																	
	B B												1										٥								
4 5 1 EVOLUTIONS / UP DATING	MODIFIE REP. REP. 7-10 ET	30/09/02 MODIFIE REP. 12	THIS COPY IS DOD	DAYS AFTER DATE OF 14		50/82/103	ISSUE DATE:							CODY					DESSINE PAR: INTERPRETATION DES DESSINS SELON: J. SEPS. SDA F. COURTE INTERPRETATION OF DRAWINGS AS PER: DATE:	ST 2100	MACHINE/ <i>ENGINE</i> : DESIGNATION PIECE/ <i>DESCRIPTION</i> : IN*PIECE/ PART NUMBER: DATE:	NATION OF THE ACE	SUPPORT DE MONTAGE	o Re l'	CE DESSIN EST LA PROPRIE	THIS DRAWING IS THE PROPERTY OF THE AND MAY NOT BE COPIED OR	COMMUNICATED WITHOUT E	HIPOMECA DATE:	S CODE FABRICANI FUZZB / MANUFACTURER CODE B FORMAT FORMAT		5 1
	REFERENCE TM TM P/N	TM0787P001	TM0787P002	TM0787P003	TM0787P004	TM0787P005	TM0787P006	IMUTSTPUUT	(1616060151)	[TM0787P008]	(TM0787P009)	(TM0787P010)	(TM0787P011)	(TM0787P012)																+	> ↑
е	REF. FOURNISS. RE SUPPLIER P/N					-		Ī.			-	96 129 66	0702-306	06010-106																	
	FOURNISSEUR R	M	M	M	M	M	TM	M	STD (OU TM)	STD (OU TM)	STD (OU TM)	MIM	NLM	NLM				,													-
2 OMENCLATURE																															2
- NON	DESIGNATION DESCRIPTION	BATI	BERCEAU	BRIDE	CENTREUR	BOUCHON	BOUCHON	VIS	VIS CHC M6 - 15	RONDELLE M6	ECROU BORGNE M6	CONTRE ECROU MOLETE	GOUJON M6 - LG.: 45	ECROU MOLETE M6																	_
	PL REP QTE SH ITEM OTY	A 3 1	1 2 4	4 3	4 4	- 2 2	- 9 9	7 4	. 8 2	. 9 2	9 9	•	. 12 2	. 13 2	•	•	•	•				22	· -				- 1	Q		9	

4





SHOP COPY THIS COPY IS GOOD FOR 14 DAYS AFTER DATE OF ISSUE ISSUE DATE EVOLUTION: VOIR PLANCHE 0 PROTECTION: PHOSPHATATION AVANT PENTURE
PENTURE GRIS-BLEU SATIME CODE COULEUR 2620
SELON NORME NEY 08-002.
CASSER LES ARETES VIVES PAR CH. 0, 5 A 45* TM0787P00 INTERPRETATION DES DESSING SELON-INTERPRETATION DE DRAWINGS AS FER-ST 2100 ST 2100 ST 2200 ST 200 PLANCHE SPEET E DESSIN EST LA PROPRIETE DE LA SOCIETE TURBONECIA, IL NE PEUT ETRE DIPMANIDIE DU REPRODUT SANS SON AUTORISATION HIS DRAWDE, IS THE PROPRETT OF THE AND NATION RE COPIED OR DMEMICATED MITHOUT EUROSSES AUTHORIZATION ■Turbomeca TM0787G001 DE MONTAGE 1.062.7 1.062.7 BOUCHON 40 x 27 - EP.: 3 MATIENE: E 24 CORDON DE SOUDURE CONTINU RAGREE MARQUER 'TM0787G001'
CARACTERES HAUTEUR 15 A 20 mm
A LA PEINTURE NOIRE AU POCHOIR. Ξ TUBE & EXT. 25 - EP.: 2
MATTERE: E 24
LS 7 X X - B:: 2
TUBE 40 x 27 - B:: 2
MATTERE: E 24 1-1 PLAQUE EP.: 5 MATIERE: E 24 DESIGNATION OUTILIAGE SUPPORT SOUDURES: SIZE A 1 **(** EDHELE 9 8 0 9 2 BATI 17.5 Plan dessine D.A.O a l'aide du logiciei :MICROCADDS Revision : 6 (9) 100 12 (3) 2 TROUS Ø 7 DEBOUCHANTS CH ENTREE/SORTIE 1 A 45* 446 0.5 0 011 120,5 691 821 CH 1 & 30. / AXE CH 1 Y 30, \ YXE

